

THE BOULDERS PLANT LIST

The Boulders Lot 187 on NR800965

| <u>Family</u> | <u>Code</u> | <u>Taxon</u> | <u>Common Name</u> |
|----------------------------------|-------------|---|----------------------------|
| <i>FERNS & ALLIES</i> | | | |
| Adiantaceae | | <i>Adiantum diaphanum</i> | Filmy Maidenhair Fern |
| | | <i>Adiantum silvaticum</i> | Maidenhair |
| * | | <i>Pityrogramma calomelanos</i> var. <i>calomelanos</i> | Silver Fern |
| Angiopteridaceae | | <i>Angiopteris evecta</i> | King Fern; Chillimother |
| Aspleniaceae | | <i>Asplenium australasicum</i> | Bird's Nest Fern |
| | | <i>Asplenium baileyanum</i> | |
| | | <i>Asplenium cuneatum</i> | |
| | | <i>Asplenium laserpitiiifolium</i> | Johnstone River Maidenhair |
| | | <i>Asplenium nidus</i> | Birds Nest Fern |
| | | <i>Asplenium simplicifrons</i> | Narrow Bird's Nest Fern |
| Athyriaceae | | <i>Callipteris prolifera</i> | |
| | | <i>Diplazium dameriae</i> | |
| | | <i>Diplazium dietrichianum</i> | |
| | | <i>Diplazium dilatatum</i> | |
| Blechnaceae | | <i>Blechnum cartilagineum</i> | Gristle Fern |
| | | <i>Blechnum orientale</i> | |
| Cyatheaceae | | <i>Cyathea cooperi</i> | Scaly Tree Fern |
| | | <i>Cyathea rebeccae</i> | Black Tree Fern |
| | | <i>Cyathea woollsiana</i> | |
| Davalliaceae | | <i>Humata repens</i> | Dwarf Hare's Foot Fern |
| Dennstaedtiaceae | | <i>Microlepia speluncae</i> | Cave Fern |
| Dryopteridaceae | | <i>Arachniodes aristata</i> | |
| | | <i>Lastreopsis wurunuran</i> | |
| | | <i>Tectaria confluens</i> | |
| Gleicheniaceae | | <i>Dicranopteris linearis</i> var. <i>linearis</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|------------------|------|--|-----------------------|
| | | <i>Sticherus flabellatus</i> var. <i>compactus</i> | Umbrella Fern |
| Grammitidaceae | | <i>Grammitis queenslandica</i> | |
| Hymenophyllaceae | | <i>Abrodictyum obscurum</i> | |
| | | <i>Crepidomanes bipunctatum</i> | |
| | | <i>Crepidomanes saxifragoides</i> | |
| NT | | <i>Didymoglossum mindorense</i> | |
| Lindsaeaceae | | <i>Lindsaea brachypoda</i> | |
| | | <i>Lindsaea obtusa</i> | |
| Lycopodiaceae | | | |
| NT | | <i>Phlegmariurus phlegmaria</i> | Common Tassel Fern |
| V | | <i>Phlegmariurus phlegmarioides</i> | Layered Tassel Fern |
| Marattiaceae | | <i>Ptisana oreades</i> | Potato Fern |
| Nephrolepidaceae | | <i>Arthropteris palisotii</i> | |
| | | <i>Nephrolepis biserrata</i> | |
| | | <i>Nephrolepis cordifolia</i> | Sord Fern |
| | | <i>Nephrolepis hirsutula</i> | |
| | | <i>Nephrolepis oblitterata</i> | |
| Ophioglossaceae | | <i>Ophioglossum pendulum</i> | Ribbon Fern |
| Polypodiaceae | | <i>Belvisia mucronata</i> | Rat's-tail Fern |
| | | <i>Colysis ampla</i> | |
| | | <i>Dictymia brownii</i> | |
| | | <i>Drynaria rigidula</i> | Basket Fern |
| | | <i>Goniophlebium percussum</i> | |
| | | <i>Goniophlebium subauriculatum</i> | |
| | | <i>Platycerium hillii</i> | Northern Elkhorn Fern |
| | | <i>Pyrrosia longifolia</i> | |
| | | <i>Pyrrosia rupestris</i> | |
| Psilotaceae | | <i>Psilotum nudum</i> | Skeleton Fork Fern |
| Pteridaceae | | <i>Pteris pacifica</i> | |
| Schizaeaceae | | <i>Lygodium reticulatum</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|------------------|------|-------------------------------------|----------------|
| Selaginellaceae | | <i>Lygodium reticulatum</i> | |
| | | <i>Selaginella australiensis</i> | Spike Moss |
| | | <i>Selaginella longipinna</i> | Spike Moss |
| Thelypteridaceae | | <i>Amphineuron opulentum</i> | |
| | | <i>Christella dentata</i> | Creek Fern |
| | | <i>Christella parasitica</i> | |
| | | <i>Christella subpubescens</i> | |
| | | <i>Macrothelypteris torresiana</i> | |
| | | <i>Pneumatopteris sogerensis</i> | |
| | | <i>Pronephrium asperum</i> | |
| | | <i>Pronephrium triphyllum</i> | |
| | | <i>Spaerostephanos heterocarpus</i> | |
| Vittariaceae | | <i>Antrophyum callifolium</i> | Ox Tongue Fern |
| | | <i>Vittaria ensiformis</i> | Tape Fern |

GYMNOSPERMS

| | | | |
|---------------|--|----------------------------|--------------------------|
| Podocarpaceae | | <i>Podocarpus grayae</i> | Weeping Brown Pine |
| Stangeriaceae | | <i>Bowenia spectabilis</i> | Bowenia; Zamia Fern |
| Zamiaceae | | <i>Lepidozamia hopei</i> | Zamia Palm; Hope's Cycad |

FLOWERING PLANTS-DICOTYLEDONS

| | | | |
|---------------|---|----------------------------------|---------------------------------|
| Acanthaceae | * | <i>Hemigraphis reptans</i> | |
| | * | <i>Odontonema tubaeforme</i> | Firespike Plant |
| | | <i>Pseuderanthemum variabile</i> | Pastel Flower |
| Actinidiaceae | | <i>Saurauia andreana</i> | Andre's Saurauia |
| Amaranthaceae | * | <i>Alternanthera ficoidea</i> | Joseph's Coat; Joseph's Joyweed |
| Anacardiaceae | * | <i>Mangifera indica</i> | Mango |
| | | <i>Rhus taitensis</i> | Sumac |
| Annonaceae | | <i>Cananga odorata</i> | Woolly Pine |
| | | <i>Desmos goezeanus</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|------------------|------|---|--------------------------|
| | | <i>Haplostichanthus johnsonii</i> | |
| | | <i>Melodorum leichhardtii</i> | Acid Drop Vine |
| | | <i>Melodorum uhrii</i> | |
| | | <i>Polyalthia patinata</i> | Wyvuri Beech |
| | | <i>Pseuduvaria mulgraveana</i> var <i>mulgraveana</i> | |
| Apiaceae | | | |
| | | <i>Centella asiatica</i> | Pennywort |
| | | <i>Mackinlaya confusa</i> | |
| Apocynaceae | | | |
| * | | <i>Allamanda cathartica</i> | Yellow Allamanda |
| | | <i>Alstonia muelleriana</i> | Hard Milkwood |
| | | <i>Alstonia scholaris</i> | Milky Pine; Jalnggan |
| | | <i>Alyxia ilicifolia</i> | Native Holly |
| | | <i>Cerbera inflata</i> | Grey Milkwood |
| | | <i>Hoya australis</i> subsp. <i>tenuipes</i> | Rainforest wax Flower |
| | | <i>Hoya pottsii</i> | Native Hoya |
| | | <i>Ichnocarpus frutescens</i> | |
| | | <i>Melodinus acutiflorus</i> | Yappa Yappa |
| | | <i>Melodinus australis</i> | Bellbird Vine |
| | | <i>Melodinus bacellianus</i> | Murpe |
| | | <i>Parsonsia densivestita</i> | |
| | | <i>Parsonsia latifolia</i> | Milky Silkpod |
| | | <i>Tabernaemontana pandacaqui</i> | Banana Bush |
| | | <i>Tylophora benthamii</i> | |
| | | <i>Wrightia laevis</i> | Millgar |
| Araliaceae | | | |
| | | <i>Hydrocotyle oraria</i> | |
| | | <i>Polyscias australiana</i> | Ivory Basswood |
| | | <i>Polyscias elegans</i> | Celerywood |
| | | <i>Polyscias mollis</i> | |
| | | <i>Polyscias purpurea</i> | |
| | | <i>Schefflera actinophylla</i> | Umbrella Tree |
| | | <i>Schefflera elliptica</i> | |
| Argophyllaceae | | | |
| | | <i>Argophyllum</i> sp. (Babinda L.S. Smith 10213) | |
| Aristolochiaceae | | | |
| | | <i>Pararistolochia australopithecurus</i> | |
| Asteraceae | | | |
| * | | <i>Ageratum conyzoides</i> var <i>conyzoides</i> | Blue Top; Billygoat Weed |
| * | | <i>Crassocephalum crepidioides</i> | Thickhead |

THE BOULDERS PLANT LIST

| <u>Family</u> | <u>Code</u> | <u>Taxon</u> | <u>Common Name</u> |
|--------------------|-------------|---|--------------------|
| | | <i>Cyanthillium cinereum</i> | Purple Fleabane |
| * | | <i>Erechtites valerianifolia</i> | Brazilian Fireweed |
| * | | <i>Pseudelephantopus spicatus</i> | |
| * | | <i>Synedrella nodiflora</i> | Cinderella Weed |
| | | <i>Youngia japonica</i> | |
| Atherospermataceae | | | |
| | | <i>Daphnandra repandula</i> | Grey Sassafras |
| | | <i>Doryphora aromatica</i> | Northern Sassafras |
| Balanophoraceae | | | |
| | | <i>Balanophora fungosa</i> | |
| Bignoniaceae | | | |
| | | <i>Neosepicaea jucunda</i> | Jucunda Vine |
| | | <i>Pandorea pandorana</i> | Wonga Vine |
| Byttneriaceae | | | |
| | | <i>Commersonia macrostipulata</i> | Kuranda Kurrajong |
| Caesalpiniaceae | | | |
| | | <i>Caesalpinia traceyi</i> | |
| | | <i>Stockiella australiensis</i> | White Bean |
| Cardiopteridaceae | | | |
| | | <i>Cardiopteris moluccana</i> | |
| Caricaceae | | | |
| * | | <i>Carica papaya</i> | Pawpaw; Papaya |
| Carpodetaceae | | | |
| | | <i>Abrophyllum ornans</i> var. <i>ornans</i> | Native Hydrangea |
| Caryophyllaceae | | | |
| * | | <i>Drymaria cordata</i> subsp. <i>cordata</i> | Tropical Chickweed |
| Celastraceae | | | |
| | | <i>Hedraianthera porphyropetala</i> | Hedraianthera |
| | | <i>Hippocratea barbata</i> | Knott Vine |
| | | <i>Hypsophila dielsiana</i> | |
| | | <i>Salacia erythrocarpa</i> | |
| | | <i>Siphonodon membranaceus</i> | Ivorywood |
| Cleomaceae | | | |
| * | | <i>Cleome aculeata</i> | Spider Flower |
| Clusiaceae | | | |
| | | <i>Calophyllum australianum</i> | Blush Tourgia |
| | | <i>Garcinia warrenii</i> | Native Mangosteen |
| | *C3 | <i>Harungana madagascariensis</i> | Harungana |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|-----------------|------|---|--------------------------|
| Combretaceae | | <i>Terminalia sericocarpa</i> | Damson |
| Connaraceae | | <i>Connarus conchocarpus</i> | Shell Vine |
| | | <i>Rourea brachyandra</i> | Water Vine |
| Convolvulaceae | | <i>Erycibe coccinea</i> | |
| | | <i>Merremia peltata</i> | |
| Cornaceae | | <i>Alangium villosum</i> subsp. <i>polyosmoides</i> | Canary Muskheart |
| Corynocarpaceae | | <i>Corynocarpus cribbianus</i> | Cribwood |
| Cucurbitaceae | | <i>Diplocyclos palmatus</i> | Native Bryony |
| | | <i>Trichosanthes odontosperma</i> | |
| Cunoniaceae | | <i>Ceratopetalum virchowii</i> | Pink Sycamore |
| | | <i>Davidsonia pruriens</i> | Davidson's Plum |
| | | <i>Gillbeea adenopetala</i> | Pink Alder |
| | | <i>Karrabina biagiana</i> | Brush Mahogany |
| | | <i>Pullea stutzeri</i> | Hard Alder |
| | | <i>Spiraeanthemum davidsonii</i> | Davidson's Alder |
| Dichapetalaceae | | <i>Dichapetalum papuanum</i> | |
| Dilleniaceae | | <i>Hibbertia scandens</i> | |
| | | <i>Tetracera daemeliana</i> | |
| | | <i>Tetracera nordtiana</i> var. <i>nordtiana</i> | Fire Vine |
| | | <i>Tetracera nordtiana</i> var. <i>wuthiana</i> | Fire Vine |
| Ebenaceae | | <i>Diospyros laurina</i> | Scrub Ebony |
| | | <i>Diospyros pluviatilis</i> | Milla Milla Ebony |
| Elaeagnaceae | | <i>Elaeagnus triflora</i> | Milla Milla |
| Elaeocarpaceae | | <i>Aceratium concinnum</i> | Hard Carabeen |
| | | <i>Aceratium megalospermum</i> | Bolly Carabeen |
| | | <i>Elaeocarpus bancroftii</i> | Kuranda Quandong |
| | | <i>Elaeocarpus grandis</i> | Silver Quandong; Murrgan |
| | | <i>Sloanea australis</i> subsp. <i>Parviflora</i> | Maiden's Blush; Cudgerie |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|----------------|------|--|-------------------------|
| | | <i>Sloanea langii</i> | White Carabeen |
| | | <i>Sloanea macbrydei</i> | Grey Carabeen |
| Euphorbiaceae | | | |
| * | | <i>Aleurites rockinghamensis</i> | Candlenut |
| | | <i>Claoxylon tenerifolium</i> subsp. <i>Boreals</i> | Queensland Brittlewood |
| | | <i>Euphorbia thymifolia</i> | |
| | | <i>Homalanthus novoguineensis</i> | Native Bleeding Heart |
| | | <i>Hylandia dockrillii</i> | Blushwood |
| | | <i>Macaranga inamoena</i> | |
| | | <i>Macaranga involucrata</i> var. <i>mallotoides</i> | Brown Macaranga |
| | | <i>Macaranga polyadenia</i> | Swamp Macaranga |
| | | <i>Macaranga tanarius</i> | Blush Macaranga |
| | | <i>Mallotus mollissimus</i> | Kamala |
| | | <i>Mallotus paniculatus</i> | Turn-in-the-wind |
| | | <i>Mallotus polyadenos</i> | Kamala |
| | | <i>Omphalea queenslandiae</i> | Russell River Nut |
| | | <i>Rockinghamia angustifolia</i> | Kamala |
| Eupomatiaceae | | | |
| | | <i>Eupomatia barbata</i> | |
| | | <i>Eupomatia laurina</i> | Wujigay |
| Fabaceae | | | |
| * | | <i>Austrosteenisia stipularis</i> | |
| | | <i>Calopogonium mucunoides</i> | Calopo |
| | | <i>Castanospermum australe</i> | Black Bean; Junggurra |
| * | | <i>Centrosema molle</i> | Centro |
| | | <i>Desmodium nemorosum</i> | Pink Pea |
| | | <i>Desmodium triflorum</i> | Creeping Tick Trefoil |
| | | <i>Mucuna gigantea</i> | Burny Bean |
| Flacourtiaceae | | | |
| | | <i>Casearia dallachii</i> | Dallachy's Silver Birch |
| | | <i>Scolopia braunii</i> | Flintwood |
| Gentianaceae | | | |
| | | <i>Fagraea cambagei</i> | Yellowheart |
| Gesneriaceae | | | |
| | | <i>Cyrtandra baileyi</i> | |
| Hamamelidaceae | | | |
| NT | | <i>Neostrearia fleckeri</i> | Flecker's Alder |
| Hernandiaceae | | | |
| | | <i>Hernandia albiflora</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|---------------|------|---|-----------------------|
| Icacinaceae | | <i>Apodytes brachystylis</i> | Buff Alder |
| Lamiaceae | | <i>Callicarpa longifolia</i> | Chukin |
| | * | <i>Clerodendrum paniculatum</i> | Pagoda Flower |
| | | <i>Clerodendrum traceyanum</i> | Flowers of Magic |
| | | <i>Faradaya splendida</i> | October Glory |
| | | <i>Glossocarya hemiderma</i> | |
| | | <i>Gmelina fasciculiflora</i> | White Beech |
| | * | <i>Hyptis capitata</i> | Knobweed |
| | | <i>Plectranthus scutellarioides</i> | |
| | | <i>Premna serratifolia</i> | Coastal Premna |
| | | <i>Vitex queenslandica</i> | Vitex |
| Lauraceae | | <i>Beilschmiedia bancroftii</i> | Yellow Walnut |
| | | <i>Beilschmiedia tooram</i> | Tooram Walnut |
| | | <i>Cryptocarya grandis</i> | Cinnamon Walnut |
| | | <i>Cryptocarya hypospodia</i> | Northern Laurel |
| | | <i>Cryptocarya mackinnoniana</i> | Rusty Laurel |
| | | <i>Cryptocarya murrayi</i> | Murray's Laurel |
| | | <i>Cryptocarya oblata</i> | Tarzali Silkwood |
| | | <i>Cryptocarya pleurosperma</i> | Poison Laurel |
| | | <i>Cryptocarya triplinervis</i> var. <i>riparia</i> | Brown Laurel |
| | | <i>Endiandra acuminata</i> | Brown Walnut |
| NT | | <i>Endiandra bellendenkerana</i> | Bellenden Ker Walnut |
| | | <i>Endiandra compressa</i> | Queensland Greenheart |
| | | <i>Endiandra cowleyana</i> | Rose Walnut |
| NT | | <i>Endiandra globosa</i> | Ball-fruited Walnut |
| | | <i>Endiandra insignis</i> | Hairy Walnut |
| | | <i>Endiandra leptodendron</i> | |
| | | <i>Endiandra montana</i> | Coach Walnut |
| | | <i>Endiandra palmerstonii</i> | Black Walnut |
| | | <i>Endiandra sankeyana</i> | Sankey's walnut |
| | | <i>Endiandra wolfei</i> | Wolfe's Walnut |
| | | <i>Endiandra xanthocarpa</i> | Yellow-fruited Walnut |
| | | <i>Litsea bindoniana</i> | Big-leaf Bollywood |
| | | <i>Litsea leefeana</i> | Bollywood |
| | | <i>Neolitsea dealbata</i> | Grey Bollywood |
| Lecythidaceae | | <i>Barringtonia calyprata</i> | Cassowary Pine |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|-----------------|------|--|-------------------|
| Leptaulaceae | | <i>Citronella smythii</i> | Silky Beech |
| Loganiaceae | | <i>Strychnos minor</i> | Snakewood |
| Loranthaceae | | <i>Amylotheca dicyophleba</i> | Mistletoe |
| | | <i>Dendrophoe curvata</i> | Mistletoe |
| Maesaceae | | <i>Maesa dependens</i> var. <i>pubescens</i> | |
| Malvaceae | * | <i>Sida acuta</i> | Spinyhead Sida |
| | * | <i>Sida rhombifolia</i> | Common Sida |
| | * | <i>Urena lobata</i> | Urena Burr |
| Melastomataceae | * | <i>Dissotis rotundifolia</i> | Spanish Shawl |
| | | <i>Medinilla balls-headleyi</i> | |
| | | <i>Melastoma cyanoides</i> | Bush Strawberries |
| | * | <i>Tristemma mauritianum</i> | Juicy Fruits |
| Meliaceae | | <i>Aglaia meridionalis</i> | Rusty Almond |
| | | <i>Aglaia sapindina</i> | Boodyarra |
| | | <i>Aglaia tomentosa</i> | Rusty Boodyarra |
| | | <i>Dysoxylum alliaceum</i> | Buff Mahogany |
| | | <i>Dysoxylum arborescens</i> | Mossman Mahogany |
| | | <i>Dysoxylum klanderii</i> | Buff Mahogany |
| | | <i>Dysoxylum mollissimum</i> subsp. <i>molle</i> | Red Bean |
| | | <i>Dysoxylum oppositifolium</i> | Pink Mahogany |
| | | <i>Dysoxylum papuanum</i> | Spice Mahogany |
| | | <i>Dysoxylum parasiticum</i> | Yellow Mahogany |
| | | <i>Dysoxylum peltigrewianum</i> | Spur Mahogany |
| Menispermaceae | E | <i>Carronia pedicellata</i> | |
| | | <i>Carronia protensa</i> | |
| | | <i>Hypserpa decumbens</i> | |
| | | <i>Hypserpa laurina</i> | |
| | | <i>Parapachygone longifolia</i> | |
| | | <i>Stephania japonica</i> var. <i>timorensis</i> | Tape Vine |
| | | <i>Tinospora smilacina</i> | Snake Vine |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|----------------|------|--|------------------------|
| Mimosaceae | | | |
| | | <i>Acacia celsa</i> | Black Wattle |
| | | <i>Adenanthera pavonina</i> | False Red Sandalwood |
| | | <i>Archidendron whitei</i> | |
| | | <i>Entada phaseoloides</i> | Match Box Bean |
| * | | <i>Inga vera</i> | Icecream Bean |
| * | | <i>Mimosa pudica</i> var. <i>hispida</i> | Common Sensitive Plant |
| Monimiaceae | | | |
| | | <i>Austromatthaea elegans</i> | |
| | | <i>Levieria acuminata</i> | Straw Beech |
| | | <i>Palmeria hypotephra</i> | |
| | | <i>Palmeria scandens</i> | Anchor Vine |
| | | <i>Steganthera laxiflora</i> subsp. <i>laxiflora</i> | Tetra Beech |
| | | <i>Wilkiea cordata</i> | Russell Gorge |
| Moraceae | | | |
| * | | <i>Artocarpus heterophyllus</i> | Jackfruit |
| | | <i>Ficus adenisperma</i> | Fig |
| | | <i>Ficus benjamina</i> | Weeping Fig |
| | | <i>Ficus congesta</i> var. <i>congesta</i> | Red Leaf Fig |
| | | <i>Ficus copiosa</i> | Fig-of-plenty |
| | | <i>Ficus destruens</i> | Rusty-leaf Fig |
| | | <i>Ficus hispida</i> | Hairy Fig: Boombil |
| | | <i>Ficus leptoclada</i> | Atherton Fig |
| | | <i>Ficus mollior</i> | Fig |
| | | <i>Ficus pantoniana</i> var. <i>pantoniana</i> | Climbing Fig |
| | | <i>Ficus pleurocarpa</i> | Banana Fig |
| | | <i>Ficus septica</i> var. <i>septica</i> | Septic Fig |
| | | <i>Ficus variegata</i> var. <i>variegata</i> | Variegated Cluster Fig |
| | | <i>Ficus virens</i> var. <i>virens</i> | White Fig |
| | | <i>Ficus virgata</i> var. <i>virgata</i> | Figwood |
| | | <i>Maclura cochinchinensis</i> | Cock Spur Vine |
| | | <i>Trophis scandens</i> | Crow Ash Vine |
| Myodocarpaceae | | | |
| | | <i>Delarbrea michieana</i> | Blue Nun |
| Myristicaceae | | | |
| | | <i>Myristica globosa</i> subsp. <i>muelleri</i> | Nutmeg |
| Myrsinaceae | | | |
| * | | <i>Ardisia elliptica</i> | Shoe-button Ardisia |
| | | <i>Ardisia pachrrhachis</i> | Mountain Ardisia |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|------------------|------|---|----------------------------------|
| | | <i>Embelia caulialata</i> | |
| | | <i>Myrsine porosa</i> | Northern Muttonwood |
| | | <i>Myrsine subsessilis</i> subsp. <i>cryptostemon</i> | |
| | | <i>Tetrardisia bifaria</i> | |
| Myrtaceae | | | |
| | | <i>Acmena divaricata</i> | Cassowary Satinash |
| | | <i>Acmena graveolens</i> | Cassowary Satinash |
| | | <i>Backhousia bancroftii</i> | Johnstone River Hardwood; Gawada |
| | | <i>Decaspermum humile</i> | Brown Myrtle |
| | | <i>Gossia myrsinocarpa</i> | Malanda Ironwood |
| | | <i>Lindsayomyrtus racemoides</i> | Daintree Penda |
| | | <i>Pilidiostigma tetrumerum</i> | |
| | | <i>Pilidostigma tropicum</i> | Apricot Myrtle |
| * | | <i>Psidium guajava</i> | Guava |
| | | <i>Rhodamnia sessiliflora</i> | Iron Malletwood |
| | | <i>Rhodomryrtus macrocarpa</i> | Finger Cherry |
| | | <i>Ristantia pachysperma</i> | Sour Hardwood |
| | | <i>Syzygium alatoramulum</i> | Tinkling Satinash |
| | | <i>Syzygium boonjee</i> | |
| | | <i>Syzygium cormiflorum</i> | Bumpy Satinash |
| | | <i>Syzygium gustavioides</i> | Grey Satinash |
| | | <i>Syzygium kuranda</i> | Kuranda Satinash |
| | | <i>Syzygium xerampelinum</i> | Mulgrave Satinash |
| | | <i>Waterhousea hedraiophylla</i> | Gully Satinash |
| | | <i>Xanthostemon chrysanthus</i> | Golden Penda |
| Nyctaginaceae | | | |
| Oleaceae | | <i>Pisonia umbellifera</i> | Cabbagewood |
| | | | |
| Oxalidaceae | | <i>Chionanthus ramiflora</i> | Native Olive |
| | | <i>Chionanthus sleumeri</i> | |
| | | <i>Ligustrum australianum</i> | |
| | | | |
| Passifloraceae | | <i>Oxalis corniculata</i> | Creeping Oxalis |
| | * | <i>Oxalis debilis</i> var. <i>corymbosa</i> | |
| | | | |
| Pentaphylacaceae | | <i>Adenia heterophylla</i> subsp. <i>heterophylla</i> | Lacewing Vine |
| | * | <i>Passiflora foetida</i> | Stinking Passion Fruit |
| | | <i>Passiflora kuranda</i> | |
| | | | |
| | | <i>Ternstroemia cherryi</i> | Cherry Beech |

THE BOULDERS PLANT LIST

| <u>Family</u> | <u>Code</u> | <u>Taxon</u> | <u>Common Name</u> |
|----------------|-------------|--|-----------------------------|
| | | | |
| Phyllanthaceae | | | |
| | | <i>Antidesma erostre</i> | Currantwood; Native Currant |
| | | <i>Breynia cernua</i> | Fart Tree |
| | | <i>Bridelia insulana</i> var. <i>insulana</i> | Grey Birch |
| | | <i>Glochidion harveyanum</i> var. <i>harveyanum</i> | Harvey's Buttonwood |
| | | <i>Glochidion philippicum</i> | Buttonwood |
| | | <i>Glochidion sumatranum</i> | Buttonwood |
| * | | <i>Phyllanthus amarus</i> | Phyllanthus |
| | | <i>Phyllanthus clambooides</i> | |
| | | <i>Phyllanthus hypospodium</i> | |
| * | | <i>Phyllanthus tenellus</i> | Phyllanthus |
| Piperaceae | | | |
| | | <i>Piper caninum</i> | Native Pepper |
| | | <i>Piper hederaceum</i> var. <i>hederaceum</i> | Native Pepper |
| | | <i>Piper macropiper</i> | Native Pepper |
| NT | | <i>Piper m斯顿ii</i> | M斯顿's Pepper |
| Pittosporaceae | | | |
| | | <i>Pittosporum rubiginosum</i> | Red Pittosporum |
| | | <i>Pittosporum trilobum</i> | |
| Polygalaceae | | | |
| * | | <i>Polygala paniculata</i> | Island Snakeroot |
| | | <i>Xanthophyllum octandrum</i> | MacIntyre's Boxwood |
| Polygonaceae | | | |
| | | <i>Muehlenbeckia rhyticarpa</i> | |
| Proteaceae | | | |
| | | <i>Cardwellia sublimis</i> | Northern Silky Oak |
| | | <i>Carnarvonia araliifolia</i> var. <i>araliifolia</i> | Caledonian Oak |
| | | <i>Darlingia darlingiana</i> | Brown Silky Oak |
| | | <i>Grevillea baileyana</i> | Findlay's Silky Oak |
| | | <i>Helicia nortoniana</i> | Norton's Silky Oak |
| NT | | <i>Hollandaea sayeriana</i> | Sayer's Silky Oak |
| | | <i>Musgravea heterophylla</i> | Briar Silky Oak |
| | | <i>Stenocarpus reticulatus</i> | Black Silky Oak |
| Rhamnaceae | | | |
| | | <i>Alphitonia petriei</i> | Pink Ash |
| | | <i>Alphitonia whitei</i> | Red Ash |
| | | <i>Sageretia hamosa</i> | |
| | | <i>Ventilago ecorollata</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|----------------|------|--|-------------------|
| Rhizophoraceae | | <i>Carallia brachiata</i> | Corky Bark |
| Rosaceae | | <i>Prunus turneriana</i> | Almondbark |
| | * | <i>Rubus alceifolius</i> | Giant Bramble |
| Rubiaceae | | <i>Antirhea tenuiflora</i> | Crimson Berry |
| | | <i>Atractocarpus fitzalanii</i> subsp. <i>fitzalanii</i> | Brown Gardenia |
| | | <i>Atractocarpus hirtus</i> | Hairy Gardenia |
| | | <i>Cyclophyllum multiflorum</i> | |
| | | <i>Gardenia ovularis</i> | Native Gardenia |
| | | <i>Geophila repens</i> | Ground Cherry |
| | | <i>Hedyotis auricularia</i> var. <i>melanesica</i> | |
| | | <i>Hedyotis radicans</i> | |
| | | <i>Ixora baileyana</i> | Bailey's Ixora |
| | | <i>Lasianthus chlorocarpus</i> | Blue Rubi |
| | * | <i>Mitracarpus hirtus</i> | Small Square Weed |
| | * | <i>Oldenlandia corymbosa</i> var. <i>corymbosa</i> | |
| | | <i>Ophiorrhiza australiana</i> subsp. <i>australiana</i> | |
| | | <i>Psychotria</i> sp (Mt. Lewis V.K. Moriarty 2445) | |
| | | <i>Psychotria</i> sp. (Danbulla S.T. Blake 15262) | |
| | | <i>Psychotria</i> sp. (Utchee Creek H. Flecker | |
| | | <i>Psydrax laxiflorens</i> | |
| | | <i>Psydrax tropica</i> | |
| | | <i>Randia tuberculosa</i> | |
| | * | <i>Spermacoce exilis</i> | |
| | * | <i>Spermacoce latifolia</i> | Big Square Weed |
| | | <i>Tarenna dallachiana</i> subsp. <i>dallachiana</i> | Tree Ixora |
| | | <i>Uncaria lanosa</i> var. <i>appendiculata</i> | |
| | | <i>Wendlandia basistaminea</i> | |
| Rutaceae | | <i>Acronychia acronychioides</i> | White Aspen |
| | | <i>Acronychia vestita</i> | White Aspen |
| | | <i>Bosistoa medicinalis</i> | Northern Towra |
| | | <i>Brombya platynema</i> | Brombya |
| | * | <i>Citrus x limon</i> | Lemon |
| | | <i>Dinosperma stipitatum</i> | Turkey Bush |
| | | <i>Flindersia bourjotiana</i> | Qld. Silver Ash |
| | | <i>Flindersia pimenteliana</i> | Maple Silkwood |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|---------------|------|------------------------------------|---------------------|
| | | <i>Medicosma fareana</i> | White Aspen |
| | | <i>Melicope broadbentiana</i> | False Euodia |
| | | <i>Melicope elleryana</i> | Evodia |
| | | <i>Melicope vitiflora</i> | Leatherwood |
| | | <i>Melicope xanthoxyloides</i> | Yellow Evodia |
| Sapindaceae | | | |
| | | <i>Aryterya pauciflora</i> | Pink Tamarind |
| | | <i>Castanospora alphandii</i> | Brown Tamarind |
| | | <i>Cnesmocarpon dasyantha</i> | Pink Tamarind |
| | | <i>Diploglottis bracteata</i> | Boonjee Tamarind |
| NT | | <i>Diploglottis pedleyi</i> | Pedley's Tamarind |
| | | <i>Diploglottis smithii</i> | Smith's Tamarind |
| | | <i>Ganophyllum falcatum</i> | Daintree Hickory |
| | | <i>Guioa acutifolia</i> | Glossy Tamarind |
| | | <i>Guioa lasioneura</i> | Silky Tamarind |
| | | <i>Harpullia frutescens</i> | |
| | | <i>Mischocarpus grandissimus</i> | Giant leaf Tamarind |
| | | <i>Mischocarpus lachnocarpus</i> | Woolly Tamarind |
| | | <i>Rhysotoechia mortoniana</i> | |
| | | <i>Rhysotoechia robertsonii</i> | Robert's Tuckeroo |
| | | <i>Sarcopteryx acuminata</i> | |
| | | <i>Sarcopteryx martyana</i> | Topaz Tamarind |
| | | <i>Synima macrophylla</i> | |
| | | <i>Toechima erythrocarpum</i> | Pink Tamarind |
| Sapotaceae | | | |
| | | <i>Niemeyera prunifera</i> | Milky Plum |
| | | <i>Palaquium galactoxylum</i> | Cairns Pencil Cedar |
| | | <i>Planchonella chartacea</i> | Dugulla |
| | | <i>Planchonella myrsinodendron</i> | Yellow Boxwood |
| | | <i>Pleioluma brownlessiana</i> | Boxwood |
| Solanaceae | | | |
| * | | <i>Solanum torvum</i> | Devil's Fig |
| Stemonuraceae | | | |
| | | <i>Gomphandra australiana</i> | Buff Beech |
| | | <i>Irvingbaileya australis</i> | Cloud Fruit |
| Sterculiaceae | | | |
| | | <i>Argyrodendron peralatum</i> | Red Tulip Oak |
| | | <i>Brachychiton acerifolius</i> | Flame Tree |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|---------------|------|-----------------------------------|---------------------|
| Symplocaceae | | | |
| | | <i>Symplocos glabra</i> | White Hazelwood |
| | | <i>Symplocos paucistaminea</i> | White Hazelwood |
| | | <i>Symplocos puberula</i> | White Hazelwood |
| Thymelaeaceae | | | |
| | | <i>Lethedon setosa</i> | |
| | | <i>Phaleria clerodendron</i> | Scented Daphne |
| Ulmaceae | | | |
| | | <i>Trema orientalis</i> | Poison Peach Tree |
| Urticaceae | | | |
| | | <i>Debregeasia australis</i> | Boehmeria |
| | | <i>Dendrocnide moroides</i> | Gympi Gympi Stinger |
| | | <i>Procris pedunculata</i> | |
| Verbenaceae | | | |
| * | | <i>Duranta erecta</i> | Golden Dewdrops |
| * | | <i>Stachytarpheta cayennensis</i> | Snakeweed |
| Vitaceae | | | |
| | | <i>Cayratia japonica</i> | Bushkiller |
| | | <i>Cayratia saponaria</i> | Native Grape |
| | | <i>Cissus hastata</i> | Native Grape |
| | | <i>Cissus penninervis</i> | Native Grape |
| | | <i>Cissus vinosa</i> | Purple Leaf Grape |
| | | <i>Leea guineensis</i> | Bandicoot Berry |
| | | <i>Tetrastigma cernatum</i> | Native Grape |
| | | <i>Tetrastigma nitens</i> | Shining Grape |

FLOWERING PLANTS-MONOCOTYLEDONS

| | | | |
|-----------|--|-----------------------------------|--------------------------|
| Araceae | | | |
| * | | <i>Colocasia esculenta</i> | Taro |
| | | <i>Epipremnum pinnatum</i> | Native Monstera |
| | | <i>Gymnostachys anceps</i> | Settler's Flax |
| | | <i>Pothos brownii</i> | Candle Vine |
| | | <i>Rhaphidophora australasica</i> | |
| | | <i>Rhaphidophora petrieana</i> | |
| * | | <i>Syngonium podophyllum</i> | Goosefoot |
| Arecaceae | | | |
| | | <i>Archontophoenix alexandrae</i> | Alexandra Palm |
| | | <i>Calamus australis</i> | Hairy Mary Lawyer Cane |
| | | <i>Calamus motii</i> | Wait-a-While Lawyer Cane |
| | | <i>Calamus radicalis</i> | Vicious Hairy Mary |
| | | <i>Calamus vitiensis</i> | |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|-------------------|------|-------------------------------|-----------------------------|
| Bromeliaceae | | <i>Linospadix microcaryus</i> | Walking Stick Palm |
| | * | <i>Ananas comosus</i> | Pineapple |
| Colchicaceae | | <i>Kuntheria pedunculata</i> | |
| Commelinaceae | | <i>Aneilema acuminatum</i> | |
| | * | <i>Murdannia nudiflora</i> | Dove Weed |
| | | <i>Pollia macrophylla</i> | |
| Cyperaceae | | <i>Carex maculata</i> | |
| | * | <i>Cyperus aromaticus</i> | Navua Sedge |
| | * | <i>Cyperus brevifolius</i> | Mullumbimby Couch |
| | | <i>Cyperus cyperoides</i> | |
| | | <i>Cyperus multispiceus</i> | The Boulders Sedge |
| | * | <i>Cyperus sphacelatus</i> | Roadside Flatsedge |
| | | <i>Cyperus trinervis</i> | |
| | | <i>Hypolytrum nemorum</i> | |
| | | <i>Mapania macrocephala</i> | |
| | | <i>Rhynchospora corymbosa</i> | |
| | | <i>Scleria polycarpa</i> | |
| Flagellariaceae | | <i>Flagellaria indica</i> | Supplejack |
| Heliconiaceae | | | |
| | * | <i>Heliconia psittacorum</i> | Heliconia |
| Hemerocallidaceae | | | |
| | | <i>Dianella atraxis</i> | Flax Lily |
| | | <i>Dianella bambusifolia</i> | Flax Lily |
| Hypoxidaceae | | | |
| | | <i>Molineria capitulata</i> | Weevil Lily |
| Laxmanniaceae | | | |
| | | <i>Cordyline cannifolia</i> | Native Cordyline; Midgenbil |
| | | <i>Eustrephus latifolius</i> | Wombat Berry |
| | | <i>Lomandra hystrix</i> | Creek Matrush |
| Musaceae | | | |
| | | <i>Musa banksii</i> | Native Banana |
| Orchidaceae | | | |
| | NT | <i>Aphyllorchis anomala</i> | Simple Pauper Orchid |
| | | <i>Apostasia wallichii</i> | Yellow Grass Orchid |

THE BOULDERS PLANT LIST

| Family | Code | Taxon | Common Name |
|--------------|------|---|----------------------------|
| | | <i>Appendicula australiensis</i> | Native Stream Orchid |
| | | <i>Bulbophyllum baileyi</i> | Fruit Fly Orchid |
| | | <i>Cadetia maideniana</i> | Coastal Burr Orchid |
| | | <i>Corymborkis veratifolia</i> | White Cinnamon Orchid |
| | | <i>Dendrobium cacatua</i> | Yellow Tree Spider Orchid |
| | | <i>Dendrobium prenticei</i> | Cylindrical Button Orchid |
| | | <i>Dendrobium toressae</i> | Mica Orchid |
| | | <i>Eria kingie</i> | Common Gremlin Orchid |
| | | <i>Grastidium baileyi</i> | Blotched Gemini Orchid |
| | | <i>Hetaeria oblongifolia</i> | Hairy Jewel Orchid |
| | | <i>Micropera fasciculata</i> | |
| | | <i>Pomatocalpa macphersonii</i> | Blotched Bladder Orchid |
| | | <i>Robiquetia gracilistipes</i> | Large Pouched Orchid |
| | | <i>Zeuxine oblonga</i> | Common Jewell Orchid |
| Pandanaceae | | | |
| | | <i>Benstonea monticola</i> | Scrub Breadfruit |
| | | <i>Freycinetia scandens</i> | |
| Philydraceae | | <i>Helmholtzia acorifolia</i> | Flax Lily |
| Poaceae | | | |
| * | | <i>Axonopus compressus</i> | Broad Leaf Carpet Grass |
| * | | <i>Axonopus fissifolius</i> | Carpet Grass |
| | | <i>Centotheca lappacea</i> | |
| * | | <i>Chrysopogon aciculatus</i> | Mackies Curse |
| | | <i>Chrysopogon filipes</i> | Australian Vetiveria Grass |
| | | <i>Cyrtococcum oxyphyllum</i> | |
| * | | <i>Eleusine indica</i> | Crow's Foot Grass |
| | | <i>Entolasia stricta</i> | Wiry Panic |
| | | <i>Eragrostis brownii</i> | Brown's Lovegrass |
| * | | <i>Eragrostis unioloides</i> | |
| | | <i>Lophatherum gracile</i> | |
| * | | <i>Megathyrsus maximus var. maximus</i> | Guinea Grass |
| | | <i>Oplismenus compositus</i> | |
| | | <i>Oplismenus imbecillis</i> | Little Basket Grass |
| | | <i>Oplismenus mollis</i> | |
| | | <i>Ottochloa nodosa</i> | |
| * | | <i>Paspalum conjugatum</i> | Sour Grass |
| | | <i>Pogonantherum crinitum</i> | |
| * | | <i>Saccharum officinarum</i> | Sugar Cane |

THE BOULDERS PLANT LIST

| <u>Family Code</u> | <u>Taxon</u> | <u>Common Name</u> |
|--------------------|----------------------------------|-----------------------|
| | <i>Sacciolepis indica</i> | Indian Cupscale Grass |
| Smilaceae | | |
| | <i>Smilax aculeatissima</i> | |
| | <i>Smilax calophylla</i> | Sarsaparilla Vine |
| Strelitziaceae | | |
| * | <i>Ravenala madagascariensis</i> | Travellers Palm |
| Zingiberaceae | | |
| | <i>Alpinia arctiflora</i> | Pleated Ginger |
| | <i>Alpinia caerulea</i> | Native Ginger |
| | <i>Alpinia modesta</i> | Narrow Leafed Ginger |
| | <i>Hornstedtia scottiana</i> | Native Cardamon |

MOSSES

| | |
|---------------------|--------------------------------------|
| Calymperaceae | <i>Arthrocormus schimperi</i> |
| | <i>Calymperes subintegrum</i> |
| | <i>Leucophanes octoblepharioides</i> |
| | <i>Mitthyridium fasciculatum</i> |
| | <i>Mitthyridium flavum</i> |
| | <i>Mitthyridium repens</i> |
| | <i>Syrrhopodon croceus</i> |
| Phlaiasiadelphaceae | <i>Taxithelium kerianum</i> |
| Sematophyllaceae | <i>Acanthorrhynchium papillatum</i> |
| | <i>Meiothecium tenellum</i> |
| | <i>Radulina hamata</i> |
| | <i>Sematophyllum subpinnatum</i> |